




Scan results for coloradoseniorgames.org

 **Accessible**

Congratulations! Our scan indicates that your webpage is accessible. We're thrilled to help you be inclusive and comply with legislation.

 **accessWidget** is detected on the website

Thank you for making your website accessible and inclusive for all users with  **accessiBe**







Congratulations!

Your website is among the 3% of inclusive and accessible websites globally. Well done!

● Inclusive websites ● Not inclusive websites

In the report you'll find the results for dozens of tests focusing mainly on these categories:

-  **Screen-reader** adjustments (blind users)
-  **Keyboard navigation** adjustments (motor impaired)
-  **UI, design and readability** adjustments (vision impaired)



#	Element	Relevant	Successes	Failures	Score
1	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	19	0	100

Successful Elements

```
<button class="cky-banner-btn-close" data-cky-tag="close-button" data-custom-button-processed="true" data-acsb-clickable-contrast-skipped="true" role="button"> <span data-="true" " data--position="before" >Close</span> <span data-="true" " data--position="before" >Previous ...
```

```
<div class="elementor-swiper-button elementor-swiper-button-next" role="button" ari a-controls="swiper-wrapper-e13e10aff3456b1027" tabindex="0" data-acsb-clickable-con trast-skipped="true"> <span data-="true" " data--position="before" >Next sli ...
```

```
<input type="submit" id="gform_submit_button_2" class="gform_button button" value ="Submit" onclick="if(window[&quot;gf_submitting_2&quot;]){return false;} if( !jQue ry(&quot;#gform_2&quot;)[0].checkValidity || jQuery(&quot;#gform_2&quot;)[0].checkV al ...
```

2	Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.	Yes	19	0	100
---	---	-----	----	---	-----

Successful Elements

```
<button class="cky-banner-btn-close" data-cky-tag="close-button" data-custom-button-processed="true" data-acsb-clickable-contrast-skipped="true" role="button"> <span data-="true" " data--position="before" >Close</span> <span data--="true" " data--position="before" >Previous ...
```

```
<div class="elementor-swiper-button elementor-swiper-button-next" role="button" ari
a-controls="swiper-wrapper-e13e10aff3456b1027" tabindex="0" data-acsb-clickable-con
trast-skipped="true"> <span data--="true" " data--position="before" >Next sli ...
```

```
<input type="submit" id="gform_submit_button_2" class="gform_button button" value
="Submit" onclick="if(window[&quot;gf_submitting_2&quot;]){return false;} if( !jQue
ry[&quot;#gform_2&quot;])[0].checkValidity || jQuery[&quot;#gform_2&quot;])[0].checkV
al ...
```

3 Links should include text that is setting expectations to No 0 0
what page they are leading to. If empty links are used as
layout wrapping elements, a screen-reader only text or
an "aria-label" attribute should be used for that
description.

4 Links that open in a new tab or a new window should No 0 0
either have an "aria-label" attribute or a screen-reader
only element explaining to screen-readers that this
opens in a new tab.

5 An H1 title provides information to blind-users using Yes Pass - 100
screen-readers of what the main topic of the page is
and each page should have exactly one H1 title.

Successful Elements

```
<h1 class="elementor-heading-title elementor-size-default " style=";background-colo
r:#ffffff!important;color:#000000!important;" role="heading" aria-level="1">Your Be
st Game Is still Ahead</h1>
```

6	HTML title elements (H1-6) should have texts. If images Yes or links are used, they should include an alternative or screen-reader only text.	9	0	100
---	---	---	---	-----

7	Elements that visually appear as titles but are coded Yes with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed.	3	0	100
---	---	---	---	-----

Successful Elements

```
<p ><strong style=";background-color:#ffffff!important;color:#000000!important;">20  
25 Colorado Senior Games</strong><br>June 6-8, 2025<br>colorado springs, co</p>
```

```
<p >Inspiring adults 50+ to pursue health and longevity through sport.</p>
```

```
<span class="elementor-heading-title elementor-size-default ">Contact Us</span>
```

8	Title levels should not be skipped and should be built No with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles.	0	0	
---	---	---	---	--

9	Interactive elements such as links, buttons and form Yes fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	4	0	100
---	--	---	---	-----

Successful Elements

```
<li class="elementor-icon-list-item" data-acsb-hover="true" tabindex="0" role="pres  
entation"> <span class="elementor-icon-list-icon " style=";background-color:#fffff  
f!important;color:#000000!important;"> <svg aria-hidden="true" cl...
```

```
<div role="button" tabindex="0" aria-label="" class="elementor-element elementor-el  
ement-65213d7 elementor-widget__width-initial None None default default default cen  
ter-center default default none none elementor-widget elementor-widget-image" data-  
i...
```

```
<div class="elementor-swiper-button elementor-swiper-button-prev" role="button" ari  
a-controls="swiper-wrapper-e13e10aff3456b1027" tabindex="0" data-acsb-clickable-con  
trast-skipped="true"> <span data--="true" " data--position="before" >Previous ...
```

```
<div class="elementor-swiper-button elementor-swiper-button-next" role="button" ari  
a-controls="swiper-wrapper-e13e10aff3456b1027" tabindex="0" data-acsb-clickable-con  
trast-skipped="true"> <span data--="true" " data--position="before" >Next sli ...
```

10	Interactive elements that can be navigated using the Yes keyboard should be surrounded by a visual outline whenever they are focused.	Pass	-	100
----	---	------	---	-----

11 Active popups should include an "aria-modal" attribute No 0 0
that equals to "true", and a "role" attribute that equals to
"dialog", so screen-reader users know how to navigate
within it.

12 Every page should include hidden links that by clicking Yes Pass - 100
on them (either using keyboard navigation or a screen-
reader), the user will "skip" certain blocks directly to
main landmarks such as main content, menu or footer.

13 Elements that are hidden using CSS manipulations No 0 0
(opacity, height, text-indent, off-canvas, etc.) should be
wrapped inside an element with an "aria-hidden"
attribute that equals to "false", or include it directly, and
have it dynamically changed to "true" when they
become visible.

14 Elements that are hidden using CSS manipulations No 0 0
(opacity, height, text-indent, off-canvas, etc.) should
include a "tabindex" attribute that is below 0, and have
it dynamically changed to 0 when they become visible.

15 Menus should either be built using the HTML5 "nav" Yes 2 0 100
element or include a "role" attribute that equals to
"menu" or "navigation" to indicate a navigation
landmark for screen-readers.

Successful Elements

```
<nav aria-label="Menu" class="elementor-nav-menu--main elementor-nav-menu__containe  
r elementor-nav-menu--layout-horizontal e--pointer-text e--animation-none" role="na  
vigation" data-acsb-main-menu="true"> <ul id="menu-1-f37d5f7" class="elementor-n...
```

```
<ul class="elementor-icon-list-items elementor-inline-items" data-acsb-menu="ul" >  
<li class="elementor-icon-list-item elementor-inline-item" data-acsb-menu="li" data  
-acsb-menu-root="true" data-acsb-hover="true" > <a href="https:// ...
```

16 Menu items that have a dropdown menu include an Yes 2 0 100
"aria-haspopup" attribute that equals to "true".

Successful Elements

```
<a href="#" class="elementor-item elementor-item-anchor has-submenu " role="button"  
id="sm-17277104000842158-1" aria-controls="sm-17277104000842158-2" data-custom-butt  
on-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-has ...
```

```
<a href="#" class="elementor-item elementor-item-anchor has-submenu " role="button"  
id="sm-17277104000842158-3" aria-controls="sm-17277104000842158-4" data-custom-butt  
on-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-has ...
```

17

Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown.

Yes

2

0

100

Successful Elements

```
<a href="#" class="elementor-item elementor-item-anchor has-submenu " role="button" id="sm-17277104000842158-1" aria-controls="sm-17277104000842158-2" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-has ...
```

```
<a href="#" class="elementor-item elementor-item-anchor has-submenu " role="button" id="sm-17277104000842158-3" aria-controls="sm-17277104000842158-4" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-has ...
```

18

Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.

Yes

20

0

100

Successful Elements

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

19 Background images that are not just for decoration purposes and should have the same treatment as standard images and include a "role" attribute that equals to "img" and an alternative text description in an "aria-label" attribute. No 0 0

20 Font icons, SVG or images that are being used as spacers, decorations or their purpose is already described by the content should include a "role" attribute that equals to "presentation" or "none". Yes 12 0 **100**

Successful Elements

```
<svg aria-hidden="true" class="e-font-icon-svg e-fas-envelope" viewBox="0 0 512 512" xmlns="http://www.w3.org/2000/svg" ><path d="M502.3 190.8c3.9-3.1 9.7-.2 9.7 4.7V400c0 26.5-21.5 48-48 48H48c-26.5 0-48-21.5-48-48V195.6c0-5 5.7-7.8 9.7-4.7 22.4 17 ...
```

```
<svg class="e-font-icon-svg e-fas-caret-right" viewBox="0 0 192 512" xmlns="http://www.w3.org/2000/svg" aria-hidden="true" ><path d="M0 384.662V127.338c0-17.818 21.543-26.741 34.142-14.142l128.662 128.662c7.81 7.81 7.81 20.474 0 28.284L34.142 398.80 ...
```

```
<svg aria-hidden="true" class="e-font-icon-svg e-fas-envelope" viewBox="0 0 512 512" xmlns="http://www.w3.org/2000/svg" data-acsb-force-hidden="true" ><path d="M502.3 190.8c3.9-3.1 9.7-.2 9.7 4.7V400c0 26.5-21.5 48-48 48H48c-26.5 0-48-21.5-48-48V195.6c0-5 ...
```

```
<span class="swiper-notification" aria-atomic="true" aria-hidden="true" ></span>
```

```
<svg aria-hidden="true" class="e-font-icon-svg e-fas-arrow-alt-circle-left" viewBox="0 0 512 512" xmlns="http://www.w3.org/2000/svg" ><path d="M256 504C119 504 8 393 8 256S119 8 256 8s248 111 248 248 248zm116-292H256v-70.9c0-10.7-13-16.1 ...
```

```
<svg aria-hidden="true" class="e-font-icon-svg e-fas-arrow-alt-circle-right" viewBo
x="0 0 512 512" xmlns="http://www.w3.org/2000/svg" ><path d="M256 8c137 0 248 111 248 248S393 504 256 504 8 393 8 256 8zM140 300h116v70.9c0 10.7 13 16.1 20 ...
```

```
<span class="swiper-notification" aria-live="assertive" aria-atomic="true" aria-hid
den="true" data-acsb-force-hidden="true" ></span>
```

```
<svg xmlns="http://www.w3.org/2000/svg" xmlns:xlink="http://www.w3.org/1999/xlink" id="Layer_1" x="0px" y="0px" viewBox="0 0 129.8 84.9" style="enable-background:new 0 0 129.8 84.9;" xml:space="preserve" aria-hidden="true" ><path d="M116,716.8,1.2L1 ...
```

```
<svg style="display: none;" class="e-font-icon-svg-symbols" aria-hidden="true" data-acsb-original-style="display: none;" ></svg>
```

21 Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute. No 0 0

22 Every "area" element of a "map" tag should be regarded as a standard image and receive an alternative text description using an "alt" attribute. No 0 0

23 Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role" attribute that equals to "none" or "presentation" so they are excluded from screen-readers. No 0 0

24 Form fields should either include an "aria-label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.). Yes 2 0 **100**

Successful Elements

```
<input name="input_1" id="input_2_1" type="text" value="" class="large" placeholder="Name" aria-required="true" aria-invalid="true" data-acsb-validation-uuid="input_2_1" data-acsb-field-visible="true" required="true" data-acsb-label-text="Name(R ...
```

```
<input name="input_3" id="input_2_3" type="text" value="" class="large" placeholder="Email" aria-required="true" aria-invalid="true" data-acsb-validation-uuid="input_2_3" data-acsb-field-visible="true" required="true" data-acsb-label-text="Email (R ...
```

25 Form elements cannot have the same ID, or else their corresponding label will provide false information. No 0 0

26 Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation. No 0 0

27 The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes. No 0 0

28 aria-describedby and aria-labelledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute. Yes 2 0 100

Successful Elements

```
<ul class="sub-menu elementor-nav-menu--dropdown acsb-hidden " id="sm-17277104000842158-2" role="region" aria-hidden="true" aria-labelledby="sm-17277104000842158-1" data-acsb-menu="ul" data-acsb-dropdown="ana7nbj8vzvq" aria-label="Submenu" style="; b ...
```

```
<ul class="sub-menu elementor-nav-menu--dropdown acsb-hidden " id="sm-17277104000842158-4" role="region" aria-hidden="true" aria-labelledby="sm-17277104000842158-3" data-acsb-menu="ul" data-acsb-dropdown="af5x165km9u6" aria-label="Submenu" style="; b ...
```

29 All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key. Yes Pass - 100

Successful Elements

```
<form method="post" enctype="multipart/form-data" target="gform_ajax_frame_2" id="gform_2" action="/#gf_2" data-formid="2" data-acsb-form-uuid="abnq0v8kygs8" data-acsb-form-type="standard"> <div class="gform-body gform_body">< ...
```

30 Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers. No 0 0

31 The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users. Yes Pass - 100

Successful Elements

```
<title>Home Page | Colorado Senior Games</title>
```

32 The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users. Yes Pass - 100

Successful Elements

```
<html lang="en-US" prefix="og: https://ogp.me/ns#" dir="ltr" id="acsb-light-contrast" class="acsb-light-contrast" style="--acsb-keynav: 3px;"><head aria-hidden="true"> <meta charset="UTF-8"> <meta name="viewport" content="width=device-width, init ...
```

33	The meta viewport tag should allow vision impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings.	Yes	Pass	-	100
----	--	-----	------	---	-----

Successful Elements

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

34	Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections.	Yes	3	0	100
----	---	-----	---	---	-----

Successful Elements

```
<main id="content" class="site-main post-1796 page type-page status-publish hentry progress_status-ready-to-review" role="main" data-acsb-main="true"> <div class="page-content"> <div data-elementor-type="wp-page" data-elementor-id="1796" clas ...
```

```
<footer data-acsb-page-footer="true" role="contentinfo" aria-label="Footer"> <style id="elementor-post-1964" >.elementor-1964 .elementor-element.elementor-element-9526 eea{--display:flex;--flex-direction:column;--container-widget-width:100%; ...
```

35	Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100
----	---	-----	------	---	-----

36	Letter spacing should not be set to below -1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100
----	---	-----	------	---	-----

37	Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color.	Yes	56	0	100
----	--	-----	----	---	-----

Successful Elements

```
<p class="cky-title " data-cky-tag="title" style="undefined" data-acsb-original-style="color: #212121;" acsb-original-style="color: #212121;" role="heading" data-acsb-fake-title="true" aria-level="2"> We value your privacy </p>
```

```
<div class="cky-notice-des " data-cky-tag="description" style="undefined" data-acsb-original-style="color: #212121;" acsb-original-style="color: #212121;"> This website or its third-party tools process personal data. You can opt out of the sale of y o ...
```

```
<button class="cky-btn cky-btn-do-not-sell " aria-label="Do Not Sell My Personal In
formation" data-cky-tag="donotsell-button" style="undefined; border-color: transpar
ent; background-color: transparent;background-color:#ffffff!important" data-cust ...
```

```
<span class="elementor-icon-list-text ">Join our newsletter for updates</span>
```

```
<a href="https://coloradoseniorgames.org/about/" role="link" data-custom-button-pro
cessed="true" style=";background-color:#ffffff!important;color:#000000!important;">
A partnership of YMCA of the Pikes Peak Region and Colorado Springs sports corp<...
```

```
<a href="https://coloradoseniorgames.org/about/" class="elementor-item " role="lin
k" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link
="true" data-acsb-tooltip="Use ←/→ to navigate" style=";background-color:#ffffff!i
m ...
```

```
<a href="https://coloradoseniorgames.org/sports/" class="elementor-item " role="lin
k" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link
="true" style=";background-color:#ffffff!important;color:#000000!important;">Spor
t ...
```

```
<a href="#" class="elementor-item elementor-item-anchor has-submenu " role="button"
id="sm-17277104000842158-1" aria-controls="sm-17277104000842158-2" data-custom-but
ton-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-has ...
```

```
<a href="#" class="elementor-item elementor-item-anchor has-submenu " role="button"
id="sm-17277104000842158-3" aria-controls="sm-17277104000842158-4" data-custom-but
ton-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-has ...
```

```
<a href="https://coloradoseniorgames.org/contact/" class="elementor-item " role="li
nk" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link
="true" style=";background-color:#ffffff!important;color:#000000!important;">Con
t ...
```

38	Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".	No	0	0
----	--	----	---	---

39	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	Yes	2	0	100
----	---	-----	---	---	-----

Successful Elements

```
<div class="elementor-swiper-button elementor-swiper-button-prev" role="button" ari
a-controls="swiper-wrapper-e13e10aff3456b1027" tabindex="0" data-acsb-clickable-con
trast-skipped="true"> <span data--="true" " data--position="before" >Previous ...
```

```
<div class="elementor-swiper-button elementor-swiper-button-next" role="button" aria-controls="swiper-wrapper-e13e10aff3456b1027" tabindex="0" data-acsb-clickable-contrast-skipped="true"> <span data-="true" " data--position="before" >Next sli...
```

40	A common accessibility mistake is to treat carousels as live regions using the "aria-live" attribute and the "polite" or the "assertive values. Using this practice will cause screen-readers to cut and skip announcements.	No	0	0	
41	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	No	0	0	
42	Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.	No	0	0	
43	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0	
44	Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.	No	0	0	
45	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0	
46	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality."	No	0	0	
47	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0	
48	Making use of an accessibility interface helps to ensure that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	Yes	Pass	-	100
49	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	Yes	Pass	-	100

Successful Elements

```
<iframe style="display:none;width:0px;height:0px;" src="about:blank" name="gform_ajax_frame_2" id="gform_ajax_frame_2" aria-hidden="true" data-acsb-original-style="display:none;width:0px;height:0px;" ><span data--="true" " data--position="after" >T  
h ...
```